



# POWERGRIP® BELT SIZES

## MXL Pitch: 0.08" (2.032 mm)

Length and pitch designation	Pitch length mm	Number of teeth
288 MXL	73.152	36
296 MXL	75.184	37
320 MXL	81.280	40
360 MXL	91.440	45
400 MXL	101.600	50
424 MXL	107.696	53
432 MXL	109.728	54
440 MXL	111.760	55
448 MXL	113.792	56
456 MXL	115.824	57
464 MXL	117.856	58
472 MXL	119.888	59
<b>480 MXL</b>	<b>121.920</b>	<b>60</b>
488 MXL	123.952	61
504 MXL	128.016	63
520 MXL	132.080	65
<b>536 MXL</b>	<b>136.144</b>	<b>67</b>
544 MXL	138.176	68
552 MXL	140.208	69
560 MXL	142.240	70
568 MXL	144.272	71
<b>576 MXL</b>	<b>146.304</b>	<b>72</b>
584 MXL	148.336	73
592 MXL	150.368	74
600 MXL	152.400	75
<b>608 MXL</b>	<b>154.432</b>	<b>76</b>
616 MXL	156.464	77
632 MXL	160.528	79
640 MXL	162.560	80
648 MXL	164.592	81
<b>656 MXL</b>	<b>166.624</b>	<b>82</b>
664 MXL	168.656	83
672 MXL	170.688	84
680 MXL	172.720	85
696 MXL	176.784	87
704 MXL	178.816	88
720 MXL	182.880	90
736 MXL	186.944	92
752 MXL	191.008	94
760 MXL	193.040	95
776 MXL	197.104	97
800 MXL	203.200	100
808 MXL	205.232	101
824 MXL	209.296	103
840 MXL	213.360	105
848 MXL	215.392	106
856 MXL	217.424	107
864 MXL	219.456	108
872 MXL	221.488	109

## MXL Pitch: 0.08" (2.032 mm)

Length and pitch designation	Pitch length mm	Number of teeth
880 MXL	223.520	110
912 MXL	231.648	114
944 MXL	239.776	118
960 MXL	243.840	120
976 MXL	247.904	122
984 MXL	249.936	123
1000 MXL	254.000	125
1008 MXL	256.032	126
1016 MXL	258.064	127
1032 MXL	262.128	129
<b>1040 MXL</b>	<b>264.160</b>	<b>130</b>
1056 MXL	268.224	132
1072 MXL	272.288	134
1112 MXL	282.448	139
<b>1120 MXL</b>	<b>284.480</b>	<b>140</b>
1144 MXL	290.576	143
1160 MXL	294.640	145
1200 MXL	304.800	150
1240 MXL	314.960	155
1264 MXL	321.056	158
<b>1280 MXL</b>	<b>325.120</b>	<b>160</b>
1320 MXL	335.280	165
<b>1400 MXL</b>	<b>355.600</b>	<b>175</b>
1472 MXL	373.888	184
1520 MXL	386.080	190
1560 MXL	396.240	195
1600 MXL	406.400	200
1680 MXL	426.720	210
1768 MXL	449.072	221
1800 MXL	457.200	225
1832 MXL	465.328	229
1856 MXL	471.424	232
1880 MXL	477.520	235
1960 MXL	497.840	245
1984 MXL	503.936	248
1992 MXL	505.968	249
2048 MXL	520.192	256
2136 MXL	542.544	267
2240 MXL	568.960	280
2360 MXL	599.440	295
2384 MXL	605.536	298
2400 MXL	609.600	300
<b>2520 MXL</b>	<b>640.080</b>	<b>315</b>
2544 MXL	646.176	318
2608 MXL	662.432	326
2776 MXL	705.104	347
2864 MXL	727.456	358
2880 MXL	731.520	360
2968 MXL	753.872	371
2976 MXL	755.904	372
3120 MXL	792.480	390

## MXL Pitch: 0.08" (2.032 mm)

Length and pitch designation	Pitch length mm	Number of teeth
3200 MXL	812.800	400
3264 MXL	829.056	408
<b>3296 MXL</b>	<b>837.184</b>	<b>412</b>
3360 MXL	853.440	420
3392 MXL	861.568	424
3448 MXL	875.792	431
3472 MXL	881.888	434
3520 MXL	894.080	440
3704 MXL	940.816	463
3800 MXL	965.200	475
3904 MXL	991.616	488
3984 MXL	1011.936	498
4000 MXL	1016.000	500
4040 MXL	1026.160	505
4368 MXL	1109.472	546
4736 MXL	1202.944	592
4896 MXL	1243.584	612
5448 MXL	1383.792	681

Available in widths of 3.2 mm (1/8", code 012), 4.8 mm (3/16", code 019) and 6.4 mm (1/4", code 025).

Preferred sizes are printed in bold.

# POWERGRIP® BELT SIZES



## XL EXTRA LIGHT

Pitch: 1/5" (5.080 mm)

Length and pitch designation	Pitch length mm	Number of teeth
46 XL	116.84	23
50 XL	127.00	25
58 XL	147.32	29
<b>60 XL</b>	<b>152.40</b>	<b>30</b>
66 XL	167.64	33
<b>70 XL</b>	<b>177.80</b>	<b>35</b>
76 XL	193.04	38
78 XL	198.12	39
<b>80 XL</b>	<b>203.20</b>	<b>40</b>
84 XL	213.36	42
86 XL	218.44	43
88 XL	223.52	44
<b>90 XL</b>	<b>228.60</b>	<b>45</b>
92 XL	233.68	46
94 XL	238.76	47
98 XL	248.92	49
<b>100 XL</b>	<b>254.00</b>	<b>50</b>
102 XL	259.08	51
106 XL	269.24	53
108 XL	274.32	54
<b>110 XL</b>	<b>279.40</b>	<b>55</b>
112 XL	284.48	56
114 XL	289.56	57
116 XL	294.64	58
118 XL	299.72	59
<b>120 XL</b>	<b>304.80</b>	<b>60</b>
122 XL	309.88	61
124 XL	314.96	62
126 XL	320.04	63
128 XL	325.12	64
<b>130 XL</b>	<b>330.20</b>	<b>65</b>
132 XL	335.28	66
134 XL	340.36	67
136 XL	345.44	68
138 XL	350.52	69
<b>140 XL</b>	<b>355.60</b>	<b>70</b>
142 XL	360.68	71
144 XL	365.76	72
146 XL	370.84	73
148 XL	375.92	74
<b>150 XL</b>	<b>381.00</b>	<b>75</b>
154 XL	391.16	77
156 XL	396.24	78
158 XL	401.32	79
<b>160 XL</b>	<b>406.40</b>	<b>80</b>
164 XL	416.56	82
166 XL	421.64	83
<b>170 XL</b>	<b>431.80</b>	<b>85</b>
174 XL	441.96	87
176 XL	447.04	88

## XL EXTRA LIGHT

Pitch: 1/5" (5.080 mm)

Length and pitch designation	Pitch length mm	Number of teeth
178 XL	452.12	89
<b>180 XL</b>	<b>457.20</b>	<b>90</b>
182 XL	462.28	91
184 XL	467.36	92
188 XL	477.52	94
<b>190 XL</b>	<b>482.60</b>	<b>95</b>
192 XL	487.68	96
194 XL	492.76	97
196 XL	497.84	98
198 XL	502.92	99
<b>200 XL</b>	<b>508.00</b>	<b>100</b>
202 XL	513.08	101
204 XL	518.16	102
208 XL	528.32	104
<b>210 XL</b>	<b>533.40</b>	<b>105</b>
212 XL	538.48	106
214 XL	543.56	107
<b>220 XL</b>	<b>558.80</b>	<b>110</b>
228 XL	579.12	114
<b>230 XL</b>	<b>584.20</b>	<b>115</b>
232 XL	589.28	116
234 XL	594.36	117
<b>240 XL</b>	<b>609.60</b>	<b>120</b>
<b>250 XL</b>	<b>635.00</b>	<b>125</b>
<b>260 XL</b>	<b>660.40</b>	<b>130</b>
264 XL	670.56	132
<b>270 XL</b>	<b>685.80</b>	<b>135</b>
274 XL	695.96	137
<b>280 XL</b>	<b>711.20</b>	<b>140</b>
284 XL	721.36	142
286 XL	726.44	143
<b>290 XL</b>	<b>736.60</b>	<b>145</b>
296 XL	751.84	148
<b>300 XL</b>	<b>762.00</b>	<b>150</b>
306 XL	777.24	153
<b>310 XL</b>	<b>787.40</b>	<b>155</b>
316 XL	802.64	158
322 XL	817.88	161
<b>330 XL</b>	<b>838.20</b>	<b>165</b>
340 XL	863.60	170
344 XL	873.76	172
348 XL	883.92	174
350 XL	889.00	175
352 XL	894.08	176
362 XL	919.48	181
372 XL	944.88	186
380 XL	965.20	190
382 XL	970.28	191
384 XL	975.36	192
390 XL	990.60	195

## XL EXTRA LIGHT

Pitch: 1/5" (5.080 mm)

Length and pitch designation	Pitch length mm	Number of teeth
392 XL	995.68	196
404 XL	1026.16	202
412 XL	1046.48	206
424 XL	1076.96	212
432XL	1097.28	216
434 XL	1102.36	217
438 XL	1112.52	219
450 XL	1143.00	225
460 XL	1168.40	230
490 XL	1244.60	245
506 XL	1285.24	253
540 XL	1371.60	270
554 XL	1407.16	277
564 XL	1432.56	282
580 XL	1473.20	290
592 XL	1503.68	296
672 XL	1706.88	336
736 XL	1869.44	368
770 XL	1955.80	385

Available in widths of 6.4 mm (1/4", code 025), 7.9 mm (5/16", code 031) and 9.5 mm (3/8", code 037).

Preferred sizes are printed in bold.





# POWERGRIP® BELT SIZES

## L LIGHT H HEAVY XH EXTRA HEAVY

Pitch: 3/8" (9.525 mm)

Length and pitch designation	Pitch length mm	Number of teeth
<b>124 L</b>	<b>314.33</b>	<b>33</b>
135 L	342.90	36
<b>150 L</b>	<b>381.00</b>	<b>40</b>
165 L	419.10	44
<b>169 L</b>	<b>428.63</b>	<b>45</b>
172 L	438.15	46
<b>187 L</b>	<b>476.25</b>	<b>50</b>
<b>202 L</b>	<b>514.35</b>	<b>54</b>
<b>210 L</b>	<b>533.40</b>	<b>56</b>
<b>225 L</b>	<b>571.50</b>	<b>60</b>
236 L	600.08	63
<b>240 L</b>	<b>609.60</b>	<b>64</b>
244 L	619.13	65
251 L	638.18	67
<b>255 L</b>	<b>647.70</b>	<b>68</b>
<b>270 L</b>	<b>685.80</b>	<b>72</b>
<b>285 L</b>	<b>723.90</b>	<b>76</b>
<b>300 L</b>	<b>762.00</b>	<b>80</b>
<b>322 L</b>	<b>819.15</b>	<b>86</b>
<b>345 L</b>	<b>876.30</b>	<b>92</b>
<b>367 L</b>	<b>933.45</b>	<b>98</b>
<b>390 L</b>	<b>990.60</b>	<b>104</b>
<b>405 L</b>	<b>1028.70</b>	<b>108</b>
<b>420 L</b>	<b>1066.80</b>	<b>112</b>
<b>450 L</b>	<b>1143.00</b>	<b>120</b>
461 L	1171.58	123
<b>480 L</b>	<b>1219.20</b>	<b>128</b>
<b>510 L</b>	<b>1295.40</b>	<b>136</b>
<b>540 L</b>	<b>1371.60</b>	<b>144</b>
<b>600 L</b>	<b>1524.00</b>	<b>160</b>
630 L	1600.20	168
<b>660 L</b>	<b>1676.40</b>	<b>176</b>

Available in widths of 12.7 mm (1/2", code 050), 19.1 mm (3/4", code 075) and 25.4 mm (1", code 100).

Pitch: 1/2" (12.7 mm)

Length and pitch designation	Pitch length mm	Number of teeth
<b>240 H</b>	<b>609.60</b>	<b>48</b>
255 H	647.70	51
<b>270 H</b>	<b>685.80</b>	<b>54</b>
<b>300 H</b>	<b>762.00</b>	<b>60</b>
310 H	787.40	62
<b>330 H</b>	<b>838.20</b>	<b>66</b>
<b>360 H</b>	<b>914.40</b>	<b>72</b>
370 H	939.80	74
375 H	952.50	75
<b>390 H</b>	<b>990.60</b>	<b>78</b>
<b>420 H</b>	<b>1066.80</b>	<b>84</b>
440 H	1117.60	88
<b>450 H</b>	<b>1143.00</b>	<b>90</b>
<b>480 H</b>	<b>1219.20</b>	<b>96</b>
485 H	1231.90	97
<b>510 H</b>	<b>1295.40</b>	<b>102</b>
520 H	1320.80	104
<b>540 H</b>	<b>1371.60</b>	<b>108</b>
<b>570 H</b>	<b>1447.80</b>	<b>114</b>
<b>600 H</b>	<b>1524.00</b>	<b>120</b>
615 H	1562.10	123
<b>630 H</b>	<b>1600.20</b>	<b>126</b>
<b>660 H</b>	<b>1676.40</b>	<b>132</b>
<b>700 H</b>	<b>1778.00</b>	<b>140</b>
<b>750 H</b>	<b>1905.00</b>	<b>150</b>
<b>800 H</b>	<b>2032.00</b>	<b>160</b>
<b>850 H</b>	<b>2159.00</b>	<b>170</b>
885 H	2247.90	177
<b>900 H</b>	<b>2286.00</b>	<b>180</b>
<b>1000 H</b>	<b>2540.00</b>	<b>200</b>
<b>1100 H</b>	<b>2794.00</b>	<b>220</b>
1130 H	2870.00	226
<b>1250 H</b>	<b>3175.00</b>	<b>250</b>
1325 H	3365.50	265
<b>1400 H</b>	<b>3556.00</b>	<b>280</b>
1460 H	3708.40	292
<b>1700 H</b>	<b>4318.00</b>	<b>340</b>

Available in widths of 19.1 mm (3/4", code 075), 25.4 mm (1", code 100), 38.1 mm (3/2", code 150), 50.8 mm (2", code 200) and 76.2 mm (3", code 300).

Pitch: 7/8" (22.225 mm)

Length and pitch designation	Pitch length mm	Number of teeth
<b>507 XH</b>	<b>1289.00</b>	<b>58</b>
<b>560 XH</b>	<b>1422.40</b>	<b>64</b>
<b>630 XH</b>	<b>1600.20</b>	<b>72</b>
<b>700 XH</b>	<b>1778.00</b>	<b>80</b>
<b>770 XH</b>	<b>1955.85</b>	<b>88</b>
787 XH	2000.25	90
831 XH	2111.38	95
<b>840 XH</b>	<b>2133.60</b>	<b>96</b>
<b>980 XH</b>	<b>2489.20</b>	<b>112</b>
<b>1120 XH</b>	<b>2844.80</b>	<b>128</b>
<b>1260 XH</b>	<b>3200.40</b>	<b>144</b>
<b>1400 XH</b>	<b>3556.00</b>	<b>160</b>
<b>1540 XH</b>	<b>3911.60</b>	<b>176</b>
<b>1680 XH</b>	<b>4267.20</b>	<b>192</b>
<b>1750 XH</b>	<b>4445.00</b>	<b>200</b>

Available in widths of 50.8 mm (2", code 200), 76.2 mm (3", code 300), 101.6 mm (4", code 400) and 127 mm (5", code 500).

## XXH DOUBLE EXTRA HEAVY

Pitch: 1 1/4" (31.75 mm)

Length and pitch designation	Pitch length mm	Number of teeth
700 XXH	1778.00	56
800 XXH	2032.00	64
900 XXH	2286.00	72
1000 XXH	2540.00	80
1200 XXH	3048.00	96
1400 XXH	3556.00	112
1600 XXH	4064.00	128
1800 XXH	4572.00	144

Available in widths of 50.8 mm (2", code 200), 76.2 mm (3", code 300), 101.6 mm (4", code 400) and 127 mm (5", code 500).

Preferred sizes are printed in bold.